



HTV IN TRAN

How far we've come how far we've got to go

Iranian Research Center for HIV/AIDS (IRCHA)

TEHRAN UNIVERSITY
OF
MEDICAL SCIENCES





• Biggest gap in the HIV continuum of care is diagnosis

■ Number of PLWH

• The retention on ART in 2016 was 88.7% in a12-month period after the ART initiation

Percent of coverage

Personal Experiences:

- First report of drug resistance against HIV-1 Integrase Inhibitors in Iran
- Assessing the feasibility and acceptability of HIV Self-test among FSW
- Online clinic
- Tehran Positive Club won Red Ribbon award in 2014

A1+ A2
perform
A3

A1+ A2- A3+
Report HIV-inconclusive
(retest in 14 days)

Report I

A1+

perform

A1 + A2 +

Report HIV-Posetive

A1+A2-A3-Report HIV-negative ,if A1 is 2nd or 3rd generation assay

A1- A2-

Report HIV-negative

Report HIV-inconclusive ,if A1 is 4th generation assay , retest in 14 days

A1: 4th generation HIV Elisa, 3rd generation HIV Elisa or HIV rapid Test A2: 4th generation HIV Elisa, 3rd generation HIV Elisa

A3: 4th generation HIV Elisa, 3rd generation HIV Elisa

In 2017, of 887951 people tested for HIV, 2306 (0.3%) were positive

perform

A1

A1+ A2-

Repeat

A1 and A2

A1-

Report HIV-negative

Future:

Studies targeting key populations Prep

Reaching 90-90-90

Gp.leila.taj@gmail.com Ircha.tums.ac.ir